



INLINE® HIGH SPEED, HDMI CABLE WITH ETHERNET

M/M, black, golden contacts

- High-Speed-HDMI-Cable with Ethernet (network)
- Gold plated contacts and shells
- high-density triple-layer shielding for best quality
- twisted pair cable construction for optimum signal quality
- transmits HD video and pure audio signals
- Suppress EMI interference, make the image vivid
- HDMI Ethernet Channel: Adds highspeed networking in addition to an HDMI connection so that users can use the full advantage of their IP-enabled devices without a separate network cables are required (if the devices support HDMI with Ethernet)
- Audio Return Channel (ARC): Allows an HDMI-connected TV with a built-in TV tuner to send audio data by „upstream“ to a surround audio system, whereby a separate audio cable is no longer required
- 3D over HDMI: Defines input and output protocols for major 3D video formats, paving the way for true 3D gaming and 3D home theatre applications
- 4K x 2K Video Support: Enables video resolutions far beyond 1080p, supporting next-generation displays of (UHD 2.160p support)
- additional color spaces: support for additional color models used in digital photography and computer graphics
- for the following applications: HDTV, PC / Notebook, XBOX, PlayStation, Blu-ray DVD/HD-DVD, DC/DV, Projector
- Compatible with all previous HDMI cable variants
- with HDMI Ethernet Audio Control (HEAC) and 3D support
- resolutions up to 4K @ 50/60Hz, (2160p), 4-times the resolution of FullHD
- up to 32 audio channels for a multi-dimensional immersive audio experience
- up to 1536kHz audio sample frequency for highest signal integrity
- support simultaneous delivery of dual video streams to display content for multiple users on the same screen
- simultaneous delivery of multi-stream audio to multiple users (up to 4) is supported
- support widescreen displays such as the 21:9 format
- dynamic synchronization of video and audio streams
- CEC commands for advanced control and control of consumer electronics devices will support
- black cable, black plug
- moulded plugs
- HDMI A male plug to HDMI A male plug

GOLD-PLATED CONTACTS

The gold-plated plugs improve the conductivity, durability and corrosion resistance of the InLine HDMI cable. The risk of oxidation or corrosion is significantly reduced. This increases the long-term reliability of the connection, e.g. even in environments with higher humidity. Gold-plated contacts adapt better to the connections and are less susceptible to abrasion and damage when plugging and unplugging. In addition, the higher conductivity can improve signal transmission and therefore picture and sound quality, especially over longer cable runs.

HDMI 2.0B


This InLine HDMI cable of specification 2.0b supports Ultra High Definition (UHD) and 4K video transmission at up to 60 frames per second. This means better picture quality with a wider colour palette and greater contrast range compared to the previous version. This cable is therefore particularly suitable for the playback of high-resolution audio and video content with fast movements. The InLine HDMI cable reliably transmits the signal from suitable HDMI sources such as cable or satellite receivers, streaming devices, games consoles, computers and gaming PCs, AV receivers and cameras to suitable HDMI output devices such as 4k projectors, UHD smart TVs and 4k gaming monitors.

Streaming: Enjoy content from streaming services such as Sky, Dazn, Netflix, Amazon Prime Video or Disney+ via streaming players such as Roku, Amazon Fire TV or Chromecast in 4k@60Hz. You benefit from smoother playback and fewer blurring effects, especially when watching sports broadcasts or action-packed videos.

Gaming: Connect your gaming PC or games consoles such as Playstation 4 Pro, Xbox One S, Xbox or One X to your TV or gaming monitor for a smoother and more responsive gaming experience in 4k@60Hz. You can enjoy an impressive 3D experience via 3D home cinema systems, gaming setups or special applications.

Business: This HDMI cable from InLine is suitable for professional video editing studios, multimedia setups or professional audio/video installations. For live streams, working with computer-aided design (CAD) or animations, a higher refresh rate can improve the accuracy and fluidity of the display

Item No.	Length	EAN
17533P	0.30 m	4043718275151
17555P	0.50 m	4043718210787
17501P	1 m	4043718210794
17511P	1.50 m	4043718210817
17502P	2 m	4043718210824
17522P	2.50 m	4043718210831
17503P	3 m	4043718210848
17505P	5 m	4043718210855
17507P	7.50 m	4043718263356
17510P	10 m	4043718236930




Item No.	Length	EAN
17533P	0.30 m	4043718275151
17555P	0.50 m	4043718210787
17501P	1 m	4043718210794
17511P	1.50 m	4043718210817
17502P	2 m	4043718210824
17522P	2.50 m	4043718210831
17503P	3 m	4043718210848


NO.	PART NAME	DESCRIPTION	QUANTITY
④	DUST CAP	TRANSPARENT	2
③	MOLD	BLACK PVC	2
②	HDMI AM	BLACK INSULATION, GOLD PLATED PIN ADN SHELL	2
①	CABLE	[28AWG/7 BC+E+AM]*5+28AWG/7 BC*4C+AM+E+ Braid /AL-MG, JACKET: PVC/BLACK ,OD7.4±0.15MM	1

NOTE:
 1. ELECTRONIC TEST
 1.1 OPEN/SHORT 100% TEST
 1.2 CONDUCTOR RESISTANCE: 5Ω
 1.3 INSULATION RESISTANCE: 10MΩ
 2. HDTV-DVD TEST: 4K*2K@60HZ
 3. PRINTING: *inLine* E324703 AWM STYLE 20276 80°C 30V HIGH SPEED HDMI® CABLE WITH ETHERNET

ROHS 3 support (EU 2015/863) Compliant

Technical Data	
Active cable:	No
Brand:	InLine®
Colour:	Black
Complies with HDMI standard:	HDMI 2.0b
Gold plated contacts:	Yes
Maximum HDTV resolution:	3840x2160 @60Hz
Outer diameter:	7.4 mm
Packing:	Retail
Side A:	HDMI A plug
Side B:	HDMI A plug
Signal:	Audio/Video
Special feature:	Retail
Type:	HDMI 2.0
Type of packaging:	InLine® bag 20103A
UL:	Yes
UL E-number:	E324703
Variant:	Gold-plated contacts
Version:	Premium






Item No.	Length	EAN
17505P	5 m	4043718210855


Technical Data	
Active cable:	No
Brand:	InLine®
Colour:	Black
Complies with HDMI standard:	HDMI 2.0b
Gold plated contacts:	Yes
Maximum HDTV resolution:	3840x2160 @60Hz
Outer diameter:	8.6 mm
Packing:	Retail
Side A:	HDMI A plug
Side B:	HDMI A plug
Signal:	Audio/Video
Special feature:	Retail
Type:	HDMI 2.0
Type of packaging:	InLine® bag 20103A
UL:	Yes
UL E-number:	E324703
Variant:	Gold-plated contacts
Version:	Premium

NO.	PART NAME	DESCRIPTION	QUANTITY
④	DUST CAP	TRANSPARENT	2
③	MOLD	BLACK PVC	2
②	HDMI AM	BLACK INSULATION, GOLD PLATED PIN ADN SHELL	2
①	CABLE	[26AWG/7 BC*1P+E+AM]*4+[28AWG/7 BC*1P+E+AM]+26/7AWG*4C+AL-FOIL +E+BRAID/AL-MG,JACKET:PVC/BLACK ,OD8.6±0.2MM	1



NOTE:
 1. ELECTRONIC TEST
 1.1 OPEN/SHORT 100% TEST
 1.2 CONDUCTOR RESISTANCE:5Ω
 1.3 INSULATION RESISTANCE:10MΩ
 2. HDTV-DVD TEST:4K*2K@60HZ
 3. PRINTING: E324703 AWM STYLE 20276 80 °C 30V HIGH SPEED HDMI® CABLE WITH ETHERNET

ROHS 3 support (EU 2015/863) Compliant




④	DUST CAP	TRANSPARENT	2
③	MOLD	BLACK PVC	2
②	HDMI AM	BLACK INSULATION, GOLD PLATED PIN ADN SHELL	2
①	CABLE	[24AWG/7 BC*1P+E+AM]*4+[24AWG/7 BC*1P+E+AM]+24/7AWG*4C+AL-FOIL +E+BRAID/AL-MG,JACKET:PVC/BLACK ,OD10.5±0.2MM	1
NO.	PART NAME	DESCRIPTION	QUANTITY

NOTE:
 1. ELECTRONIC TEST
 1.1 OPEN/SHORT 100% TEST
 1.2 CONDUCTOR RESISTANCE: 5Ω
 1.3 INSULATION RESISTANCE: 10MΩ
 2. HDTV-DVD TEST: 4K*2K@60HZ
 3. PRINTING: *inLine*® E324703 AWM STYLE 20276 80°C 30V HIGH SPEED HDMI® CABLE WITH ETHERNET

ROHS 3 support (EU 2015/863) Compliant

Item No.	Length	EAN
17507P	7.50 m	4043718263356
17510P	10 m	4043718236930

Technical Data	
Active cable:	No
Brand:	InLine®
Colour:	Black
Complies with HDMI standard:	HDMI 2.0b
Gold plated contacts:	Yes
Maximum HDTV resolution:	3840x2160 @60Hz
Outer diameter:	10.5 mm
Packing:	Retail
Side A:	HDMI A plug
Side B:	HDMI A plug
Signal:	Audio/Video
Special feature:	Retail
Type:	HDMI 2.0
Type of packaging:	InLine® bag 20103A
UL:	Yes
UL E-number:	E324703
Variant:	Gold-plated contacts
Version:	Premium



If you have any further questions, please contact marketing@inline-info.com

www.inline-info.com/en/

Disclaimer
 InLine® is a brand of INTOS ELECTRONIC AG | Siemensstraße 11 | D-35394 Gießen

Documentation © 2024 INTOS ELECTRONIC AG
 All rights reserved. No part of this document may be reproduced in any form or by any means, electronic, mechanical or chemical, without the prior written permission of the publisher. It is possible that this document may still contain typographical faults or misprints.

However, the information in this document will be checked regularly and corrections will be made in the next edition. We accept no liability for errors of a technical or printing nature and their consequences. All trademarks and industrial property rights are acknowledged. Changes in the sense of technical progress can be made without prior notice. Our products, including packaging, are not toys, they may contain small parts and sharp objects.

Please keep away from children.